

HLD 150_600

HLD SERIES TECHNICAL PRECISION "TOP-LOADING" SCALE WITH WINDSCREEN



Multifunctional scale, suitable for laboratory and industrial use. Available also CE-M APPROVED for legal for trade use.

DIVISION (g): from 0.002 to 0.01. **CAPACITY (g):** 150, 300, 600.

The best solution
for advanced industrial
applications

TECHNICAL FEATURES

- Backlit LCD display with 7 digits 16mm high.
- Waterproof membrane keypad, with acoustic feedback, with 7 keys.
- Stainless steel plate, size:
 - HLD150 model Ø 80mm
 - HLD300 and HLD600 models Ø 120mm.
- Windscreen, level bubble and adjustable feet.
- Built-in rechargeable battery (about 30h battery life) and 230 Vac power adapter.
- Operating temperature +5°C...+40°C.
- RS232/c port for connection to PC or printer.
- Packaging: 370x240x250mm size - approximate weight of 2,7kg.
- Upon request:
 - ACCREDIA calibration with issuing of relative certificate
 - CE-M approval in class II.

FUNCTIONS

- counting;
- % weight;
- weight totalisation;
- conversion up to 13 units of measure;
- zeroing;
- zero tracking;
- semi-automatic tare;
- digital calibration;
- backlight command;
- low battery warning.

COUNTING FEATURES

- Internal sensitivity and minimum recommended A.P.W.:

Model	HLD150	HLD300	HLD600
Internal sensitivity g	0,0004	0,0005	0,001
Min. recommended A.P.W. g	0,002	0,005	0,01

VERSIONS

Available versions

Codice	Classe	Piatto Max (mm)	Max (g)	d (g)	M (g)*	Linearità (g) +/-	Ripetibilità (g)
HLD150	--	Ø 80 mm	150	0,002	--	0,002	0,002
HLD300	--	Ø 120 mm	300	0,005	--	0,01	0,005
HLD600	II	Ø 120 mm	600	0,01	0,1	0,02	0,01

(*) CE-M divisions are obtainable only with the relative options.



“YOUR WORLDWIDE PARTNER FOR WEIGHING,”

DINI ARGEO
FRANCE sarl
France

DINI ARGEO
GMBH
Germany

DINI ARGEO
UK Ltd
United Kingdom

DINI ARGEO WEIGHING
INSTRUMENTS Ltd
China

DINI ARGEO
OCEANIA
Australia



COMPANY HEADQUARTERS

Via Della Fisica, 20
41042 Spezzano di Fiorano Modena • Italy
Tel. +39.0536 843418

SERVICE ASSISTANCE

Via Dell'Elettronica, 15
41042 Spezzano di Fiorano Modena • Italy
Tel. +39.0536 921784



SALES AND TECHNICAL ASSISTANCE SERVICE