

JB 1 I

"JB1I": JUNCTION BOX FOR 4 POLE LOAD CELLS, IN IP68 STAINLESS STEEL



Stainless steel junction box with IP68 protection from water and dust, equipped with electronic board to join 2 load cell cable sections. The 8 screw terminal boards facilitate the cable connection. The stainless steel body ensures solidity and durability.

**The best solution
for advanced industrial
applications**

TECHNICAL FEATURES

- Stainless steel case.
- Protection degree: IP68.
- Maximum input voltage: 24Vdc.
- Maximum input current: 700mA.
- 1 input and 1 outlet of 4-wire load cell on screw connectors
- Length: 85.0mm
- Internal diameter: 13.9mm
- External diameter: 18mm
- The cable gland tightens 4 to 8mm of cable.

DETAIL 1





DINI ARGEO
FRANCE sarl
France

DINI ARGEO
GMBH
Germany

DINI ARGEO
UK Ltd
United Kingdom

DINI ARGEO WEIGHING
INSTRUMENTS Ltd
China

DINI ARGEO
OCEANIA
Australia



COMPANY HEADQUARTERS

Via Della Fisica, 20
41042 Spezzano di Fiorano Modena • Italy
Tel. +39.0536 843418

SERVICE ASSISTANCE

Via Dell'Elettronica, 15
41042 Spezzano di Fiorano Modena • Italy
Tel. +39.0536 921784

SALES AND TECHNICAL ASSISTANCE SERVICE