



A RICE LAKE WEIGHING SYSTEMS COMPANY

## TPRXT

"TPRXT": ATTACHED THERMAL PRINTER WITH IP65 PROTECTION.



Thermal printer with IP65 stainless steel case and protection shutter door against water sprays and dust. Particularly suitable for the chemical and foodstuff industry, as well as in applications in harsh or strict hygiene environments. Mounted attached to the "XT" weight indicators, with a STAINLESS STEEL case.

## The best solution for advanced industrial applications

## TECHNICAL SPECIFICATIONS

- PRINT METHOD: Thermal.
- RESOLUTION: 203 dpi.
- COLUMNS: 24/40.
- PAPER WIDTH: 58 mm.
- ROLL SIZE: Diameter of 50 mm.
- PRINT SPEED: up to 50 mm/sec.
- PRINT FORMATS: Normal, double height and width, negative, underlined, expanded.
- PRINT DIRECTION: selectable (straight or upside down).
- PROGRAMMABLE FEATURES: Baud rate, data length, parity bit, handshaking, autofeed, number of columns, font size and print density.

N.B. ACCESSORY WHICH MAY BE ORDERED ONLY TOGETHER WITH A SUITABLE WEIGHT INDICATOR.



[www.diniargeo.com](http://www.diniargeo.com)

“YOUR WORLDWIDE PARTNER FOR WEIGHING,”

DINI ARGEO  
FRANCE sarl  
France

DINI ARGEO  
GMBH  
Germany

DINI ARGEO  
UK Ltd  
United Kingdom

DINI ARGEO WEIGHING  
INSTRUMENTS Ltd  
China

DINI ARGEO  
OCEANIA  
Australia



#### COMPANY HEADQUARTERS

Via Della Fisica, 20  
41042 Spezzano di Fiorano Modena • Italy  
Tel. +39.0536 843418

#### SERVICE ASSISTANCE

Via Dell'Elettronica, 15  
41042 Spezzano di Fiorano Modena • Italy  
Tel. +39.0536 921784

SALES AND TECHNICAL ASSISTANCE SERVICE