

WS911

WS911 Screw Weigher



By providing an existing or new-to-build screw conveyor with a screw weigh system, one can easily create an in-line measurement without disturbing the product flow.

**The best solution
for advanced industrial
applications**

Main features

- Creates an in-line measurement without disturbing the product flow
- Inlet and outlet are mechanically isolated with flexible connection
- Dust closed design, dust-free

Screw Weigher Specifications

- Weigh frame:

Powder coated steel frame, stainless steel available

Fixed frame with frictionless pivots and load cell carrier

Screw conveyor mounted in load cell carrier and the pivots

Mounting:

Six bolts

Load Cell:

Stainless steel, IP67

Accuracy Guidelines:

Consult

Junction Box:

JBW shockproof reinforced polycarbonate, IP66

Four- or six-wire load cell cable

Speed Pick-up:

Model SPU5020 or SPU5026

Mounted directly on axle end

Indicator:

WE503D

Warranty:

One-year limited warranty

For more information

- Contact us at:

bulkmaterial@dinargeo.com

DETAIL 1



DETAIL 2





www.diniargeo.com

“YOUR WORLDWIDE PARTNER FOR WEIGHING,”

DINI ARGEO
FRANCE sarl
France

DINI ARGEO
GMBH
Germany

DINI ARGEO
UK Ltd
United Kingdom

DINI ARGEO WEIGHING
INSTRUMENTS Ltd
China

DINI ARGEO
OCEANIA
Australia



COMPANY HEADQUARTERS

Via Della Fisica, 20
41042 Spezzano di Fiorano Modena • Italy
Tel. +39.0536 843418

SERVICE ASSISTANCE

Via Dell'Elettronica, 15
41042 Spezzano di Fiorano Modena • Italy
Tel. +39.0536 921784

SALES AND TECHNICAL ASSISTANCE SERVICE