

## SPSZ

### SPSZ SERIES SINGLE POINT STAINLESS STEEL LOAD CELLS



Stainless steel load cells for off center loads, suitable for example to build CE-M approved scales with a single load cell with maximum dimensions of 800x800 mm.

---

**CAPACITIES (kg):** 500, 1000.

---

**OIML R60. C3** precision class.

---

**17-4 PH** stainless steel. **IP68 / IP69K** protection.

---

The best solution  
for advanced industrial  
applications


## MAIN FEATURES

- C3 PRECISION CLASS
- OFF CENTER LOAD COMPENSATED
- MADE IN 17-4 PH STAINLESS STEEL
- IP68 PROTECTION
- MAX. CAPACITIES FROM 500 TO 1000 kg
- FOR PLATFORMS WITH DIMENSIONS UP TO 800 X 800 mm
- SHIELDED CONNECTION CABLE
- TEST CERTIFICATE AVAILABLE UPON REQUEST

## TECHNICAL FEATURES

- Minimum load cell verification interval:  
 $V_{min} = E_{Max} / 7.500-12.500$
- Maximum number of verification intervals:  $n_{LC} = 3000$
- Full Scale Output: 2mV/V +/- 10%
- Temperature effect on zero:  
from  $\pm 0,0112\%$  F.S./10K to  $\pm 0,0186\%$  F.S./10K
- Temperature effect on full scale output:  
 $\pm 0,0117\%$  F.S./10K (-10°C/+20°C)  
 $\pm 0,0170\%$  F.S./10K (+20°C/+40°C)
- Compensated Temperature Range: -10°C/+40°C
- Operating Temperature Range: -10°C/+50°C
- Creep at nominal load in 30 minutes:  $\pm 0,01\%$  F.S.
- Maximum tolerated excitation voltage: 15 VDC
- Input Resistance:  $380 \pm 15$  Ohm
- Output Resistance: 300...500 Ohm
- Insulation Resistance (100V) >2000 MOhm
- Safe Overload: 150 % F.S.
- Ultimate Overload: 300% F.S.
- Nominal displacement: < 0.5 mm
- 6-wire shielded cable, 3m long, 5mm diameter

## DETAIL 1




Dimensions in mm

Wiring Code	
<i>Colour</i>	<i>Function</i>
WHITE	OUTPUT +
GREEN	SENSE +
BLUE	INPUT +
RED	OUTPUT -
BLACK	INPUT -
GREY	SENSE -

## VERSIONS

### Available versions

Codice	Piatto Max (mm)	Max (kg)
SPSZ500 	800 x 800	500
SPSZ1000 	800 x 800	1000



“YOUR WORLDWIDE PARTNER FOR WEIGHING,”

DINI ARGEO  
FRANCE sarl  
France

DINI ARGEO  
GMBH  
Germany

DINI ARGEO  
UK Ltd  
United Kingdom

DINI ARGEO WEIGHING  
INSTRUMENTS Ltd  
China

DINI ARGEO  
OCEANIA  
Australia



**COMPANY HEADQUARTERS**

Via Della Fisica, 20  
41042 Spezzano di Fiorano Modena • Italy  
Tel. +39.0536 843418

**SERVICE ASSISTANCE**

Via Dell'Elettronica, 15  
41042 Spezzano di Fiorano Modena • Italy  
Tel. +39.0536 921784



SALES AND TECHNICAL ASSISTANCE SERVICE