

SCBTHP

SCANNER BARCODE BLUETOOTH TASCABILE "SCBTHP"



Scanner barcode BLUETOOTH tascabile, per lettura di codici a barre direttamente su indicatore di peso serie 3590 TOUCH SCREEN. Le dimensioni ultra-compatte semplificano l'acquisizione dei dati essenziali per la pesatura.

La soluzione ideale per
applicazioni industriali
avanzate

CARATTERISTICHE

- Autonomia 10 ore circa di funzionamento (considerando 1 scansione ogni 5 secondi).
- Led di feedback, vibrazione e segnalazione sonora per segnalare all'utente le operazioni del lettore.
- Ottica: CMOS area sensor
- Velocità di Lettura: 100 fps
- Lettura dei codici a barre sia tramite cavo USB, sia tramite comunicazione Bluetooth.
- Lettura: 1D/2D
- Ricarica tramite cavo micro USB.
- Peso: 60 g
- Dimensioni 36 x 83 x 21.5 mm

BARCODE SUPPORTATI

- Barcode (1D): UPC-A, UPC-A Add-on, UPC-E, UPC-E Add-on, EAN -13, EAN -13 Addon, EAN -8, EAN -8 Add-on, JAN-8, JAN-13, Code 39, Tri-Optic, Codabar (NW-7), Industrial 2 of 5, Interleaved 2 of 5, S-Code, IATA , Code 93, Code 128, MSI/Plessey, UK/Plessey, TELEPEN, Matrix 2of5, Code 11, GS1 DataBar, GS1 DataBar Limited, GS1 DataBar Expanded, Composite GS1-DataBar, Composite GS1-128, Composite EAN, Composite UPC Pos tal code: Chinese Post, Korean Postal Authority code.
- Barcode (2D): PDF417, MicroPDF417, Codablock F, QR Code , Micro QR Code, DataMatrix (ECC 0 - 140/ ECC 200), MaxiCode (Modes 2 to 5), Aztec Code, Chinese Sensible Code.

NOTA: Configurazione dello scanner a carico del rivenditore.

PARTICOLARE 1



PARTICOLARE 2



“YOUR WORLDWIDE PARTNER FOR WEIGHING,”

DINI ARGEO
FRANCE sarl
France

DINI ARGEO
GMBH
Germany

DINI ARGEO
UK Ltd
United Kingdom

DINI ARGEO WEIGHING
INSTRUMENTS Ltd
China

DINI ARGEO
OCEANIA
Australia



COMPANY HEADQUARTERS

Via Della Fisica, 20
41042 Spezzano di Fiorano Modena • Italy
Tel. +39.0536 843418

SERVICE ASSISTANCE

Via Dell'Elettronica, 15
41042 Spezzano di Fiorano Modena • Italy
Tel. +39.0536 921784

SALES AND TECHNICAL ASSISTANCE SERVICE